

ZBROJENIE SCHODÓW ZEWNĘTRZNYCH - POZ. 8.6				OGÓŁEM		(kg)	3987,2					
				RAZEM		(kg)	34,8	604,9	516,9	1 393,6	1 136,4	300,6
				RAZEM		(mb)	156,7	1 531,4	837,8	1 569,4	719,2	121,7
8.6.21	1	12	8		1210	78	78		94,38			
		11	8		220	51	51		11,22			
		10	8		1310	51	51		66,81			
		9		16	2800	2	2					5,60
		8		16	4740	2	2					9,48
		7		16	5140	16	16					82,24
		6		12	4810	2	2			9,62		
		5		16	8600	2	2					17,20
		4		12	2750	2	2			5,50		
		3		16	3780	2	2					7,56
		2		16	9100	2	2					18,20
1		16	6520	2	2					13,04		
8.6.20	1	13	8		670	24	24		16,08			
		12	8		1240	48	48		59,52			
		11	8		220	27	27		5,94			
		10	8		1310	27	27		35,37			
		9	8		970	20	20		19,40			
		8		16	6520	2	2					13,04
		7		16	3140	2	2					6,28
		6		16	4740	2	2					9,48
		5		12	4990	2	2			9,98		
		4		16	3920	2	2					7,84
		3		16	4200	2	2					8,40
		2		16	7610	2	2					15,22
		1		16	3260	2	2					6,52
8.6.19 8.6.6	1	12	8		200	6	6		1,20			
		11	8		1210	10	10		12,10			
		10	8		970	17	17		16,49			
		9	8		220	27	27		5,94			
		8	8		1310	27	27		35,37			
		7		16	3430	2	2					6,86
		6		12	4260	2	2			8,52		
		5		16	6410	2	2					12,82
		4		16	4910	2	2					9,82
		3		16	2340	2	2					4,68
		2		16	1760	2	2					3,52
1		16	1260	2	2					2,52		
8.6.18	1	5	8		220	40	40		8,80			
		4	8		1310	40	40		52,40			
		3		12	5140	2	2			10,28		
		2		16	6100	2	2					12,20
		1		16	5140	2	2					10,28
8.6.17 8.6.5	1	12	8		200	6	6		1,20			
		11	8		1210	10	10		12,10			
		10	8		220	44	44		9,68			
		9	8		1310	44	44		57,64			
		8		12	2870	2	2			5,74		
		7		16	3430	2	2					6,86
		6		12	4690	2	2			9,38		
		5		16	6570	2	2					13,14
		4		16	5350	2	2					10,70
		3		16	2340	2	2					4,68
		2		16	1760	2	2					3,52
1		16	1260	2	2					2,52		
		5	8		1285	30	30		38,55			

8.6.16	1	4	8		1155	30	30		34,65				
		3		12	3140	2	2				6,28		
		2		16	3800	4	4					15,20	
		1		16	3140	4	4					12,56	
8.6.15	1	8	8		810	10	10		8,10				
		7	8		1100	48	48		52,80				
		6	8		670	28	28		18,76				
		5	8		1240	56	56		69,44				
		4		12	660	2	2				1,32		
		3		12	3050	2	2				6,10		
		2		16	6320	4	4					25,28	
		1		16	5560	4	4					22,24	
8.6.14	1	6	8		810	24	24		19,44				
		5	8		1100	48	48		52,80				
		4	8		1300	56	56		72,80				
		3		12	3210	2	2				6,42		
		2		16	6360	4	4					25,44	
		1		16	5560	4	4					22,24	
8.6.13	1	5	8		1240	40	40		49,60				
		4	8		1100	48	48		52,80				
		3		16	5560	2	2					11,12	
		2		16	6320	4	4					25,28	
		1		16	5560	4	4					22,24	
8.6.12	1	8	8		1240	74	74		91,76				
		7	8		870	66	66		57,42				
		6	8		1060	40	40		42,40				
		5		20	8210	4	4						32,84
		4		16	3220	4	4					12,88	
		3		16	4060	4	4					16,24	
		2		16	9190	4	4					36,76	
		1		16	6700	4	4					26,80	
8.6.11	1	4	8		1060	116	116		122,96				
		3		16	5140	2	2					10,28	
		2		16	5760	4	4					23,04	
		1		16	5140	4	4					20,56	
8.6.10 8.6.7	1	10	8		1060	32	32		33,92				
		9	8		870	58	58		50,46				
		8		16	2810	4	4					11,24	
		7		16	6500	4	4					26,00	
		6		16	4970	4	4					19,88	
		5	8		300	6	6		1,80				
		4	8		1410	8	8		11,28				
		3		16	2020	2	2					4,04	
		2		16	1790	2	2					3,58	
		1		16	1050	2	2					2,10	
8.6.9	3	3	6		320	25	75	24,00					
		2	6		1390	25	75	104,25					
		1		20	3870	6	18					69,66	
8.6.8	2	2	6		890	16	32	28,48					
		1		20	2400	4	8					19,20	
		36		12	1930	7	7				13,51		
		35		12	3990	24	24				95,76		
		34		12	3310	24	24				79,44		
		33		12	3260	24	24				78,24		
		32		12	3070	24	24				73,68		
		31		12	1050	19	19				19,95		
		30		12	3840	28	28				107,52		
		29		12	3140	28	28				87,92		
		28		12	1220	18	18				21,96		

POZ.8.6.1-8.6.5

1

27		12	4370	18	18				78,66		
26		12	3940	18	18				70,92		
25		10	5780	18	18			104,04			
24		10	5140	18	18			92,52			
23	8		64000	MB	1		64,00				
22		10	2920	34	34			99,28			
21		10	2440	34	34			82,96			
20		10	3180	20	20			63,60			
19		10	2230	20	20			44,60			
18		10	2860	20	20			57,20			
17		10	2260	22	22			49,72			
16		10	2840	22	22			62,48			
15		10	2500	22	22			55,00			
14	8		64000	MB	1		64,00				
13		10	2920	39	39			113,88			
12		10	12500	MB	1			12,50			
11		12	168000	MB	1			168,00			
10		12	12500	MB	1			12,50			
9		12	1800	23	23			41,40			
8		12	1300	23	23			29,90			
7		12	3280	23	23			75,44			
6		12	2260	23	23			51,98			
5		12	4050	23	23			93,15			
4		12	1050	28	28			29,40			
3		12	4360	22	22			95,92			
2		12	2260	22	22			49,72			
1		12	5240	22	22			115,28			

OZ. EL.	WYK.	NR PRĘTA	A-0	A- III	(mm) DŁUGOŚĆ	(szt.) ILOŚĆ	(szt.) ILOŚĆ RAZEM	φ 6	φ 8	#10	#12	#16	#20
			ŚREDNICA					DŁUGOŚĆ W mb					

KSZTAŁT PRĘTA WG RYS. NR B-11/6/
ZESTAWIENIE STALI ZBROJENIOWEJ DO RYS. NR B-11/6/